

Cisco

300-550 Exam

**Cisco Designing and Implementing Cisco Network
Programmability Exam**

Thank you for Downloading 300-550 exam PDF Demo

You can also Buy our 300-550 Premium Full Version

<https://www.certkillers.net/Exam/300-550>

<https://www.certkillers.net>

Version: 9.1

Question: 1

How are authentication credentials sent in a Cisco APIC REST API authorization request?

- A. by using OAuth
- B. in a token in the header
- C. by using Basic Auth
- D. in JSON in the payload

Answer: D

http://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/1-x/api/rest/b_APIC_RESTful_API_User_Guide/b_IFC_RESTful_API_User_Guide_chapter_0100

Explanation:

Authentication to the REST API for username/password-based authentication uses a special subset of request URIs, including aaaLogin, aaaLogout and aaaRefresh as the Dn target of a POST operation. Their payloads contain a simple XML or JSON payload containing the MO representation of an aaaUser object with attributes name and pwd defining the username and password, for example: <aaaUser name='admin' pwd='insieme'/>. The response to the POSTs will contain an authentication token as both a Set-Cookie header as well as an attribute to the aaaLogin object in the response named token, for which the XPath is /imdata/aaaLogin/@token if encoded as XML. Subsequent operations on the REST API can use this token value as a Cookie named "APIC-cookie" to have future requests authenticated.

Reference:

<http://aci-troubleshooting-book.readthedocs.io/en/latest/rest>

Question: 2

Which two statements about OpenFlow are true? (Choose two.)

- A. The OpenFlow flow table contains header fields, counters, and actions.
- B. OpenFlow automatically determines network forwarding rules.
- C. OpenFlow interfaces with the management plane.
- D. OpenFlow is a southbound protocol.
- E. OpenFlow is an agentless technology, like Ansible.
- F. OpenFlow is a northbound protocol.

Answer: AD

Reference:

For A, <http://archive.openflow.org/documents/openflow-spec-v1.0.0.pdf>

For D, <https://learninglabs.cisco.com/lab/restconf-101/step/3>

Reference:

<http://archive.openflow.org/documents/openflow-spec-v1.0.0.pdf>

Question: 3

Where is the node-ui.log stored on the Cisco APIC-EM appliance?

- A. in the /var/log/grapevine/services/node-ui directory within the container that is running the node-ui instance
- B. in the Cassandra database instance that is running within the container that is running the node-ui instance
- C. in the /opt/CSCOapicem/logs/node-ui directory within the Cisco APIC-EM appliance root
- D. in the /var/log/grapevine/services/node-ui directory within the Cisco APIC-EM appliance root
- E. in the Cisco APIC-EM Cassandra database instance

Answer: D


Question: 4

DRAG DROP

Drag and drop the technology on the left to its appropriate use case on the right.

NETCONF	standards-based protocol that is used to distribute policies to programmable network elements
RESTCONF	used to distribute the traffic engineering database
OpenFlow	used to send RPCs to retrieve operational data via SSH
OpFlex	used to program the data plane of network devices
PCEP	uses HTTP verbs for getting and setting configuration data
BGP-LS	uses TLVs to pass messages between client and server

Answer:



Question: 5

Which network configuration protocol uses JSON as a data representation format?

- A. NETCONF
- B. SOAP
- C. RESTCONF
- D. HTML

Answer: C

Explanation:

JSON-RPC is an RPC protocol built on JSON, as a replacement for XML-RPC or SOAP. It is a simple protocol that defines only a handful of data types and commands. JSON-RPC lets a system send notifications (information to the server that does not require a response) and multiple calls to the server that can be answered out of order. Example of a JSON-RPC 2.0 request and response using positional parameters.

Reference:

<https://tools.ietf.org/html/draft-ietf-netconf-restconf-13#section-1.1.1> 5.3.2

<https://tools.ietf.org/html/draft-box-http-soap-00> XML payload format in SOAP

Question: 6

Which two statements about the NX-API are true? (Choose two.)

- A. NX-API supports XML-RPC
- B. NX-API is enabled by default

- C. NX-API supports JSON-RPC.
- D. The nxapi_auth cookie expires in 30 minutes.
- E. NX-API maps to NX-OS NETCONF.

Answer: AC

Explanation:

NX-API is an enhancement to the Cisco Nexus 9000 Series CLI system, which supports XML output. NX-

API also supports JSON output format for specific commands.

Reference:

http://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus7000/sw/programmability/guide/b_Cisco_Nexus_7000_Series_NX-OS_Programmability_Guide/b_Cisco_Nexus_7000_Series_NX-OS_Programmability_Guide_chapter_0101

Question: 7

Which two statements about YANG are true? (Choose two.)

- A. YANG was conceptualized by Jerry Yang, former CEO of Yahoo.
- B. YANG provides security beyond SSL 3.0.
- C. YANG can be executed similarly to a Python script.
- D. YANG is used by NETCONF to define objects and data in requests and replies.
- E. YANG represents configuration, operational, and RPC data.

Answer: DE

http://www.cisco.com/c/dam/global/cs_cz/assets/ciscoconnect/2014/assets/tech_sdn10_sp_netconf_yang_restconf_martinkramolis.pdf

Thank You for trying 300-550 PDF Demo

To Buy our 300-550 Premium Full Version visit link below

<https://www.certkillers.net/Exam/300-550>

Start Your 300-550 Preparation

“”

Download and Pass Exam 300-550 Easily with CertKillers.net questions.

<https://www.certkillers.net>